



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

CALIFORNIA—*Los Angeles*.—Month of April, 1899. Estimated population, 103,000. Total number of deaths, 125, including diphtheria, 2; enteric fever, 1; measles, 1; cerebro-spinal meningitis, 8; smallpox, 5, and 22 from phthisis pulmonalis.

Oakland.—Month of April, 1899. Estimated population, 75,000. Total number of deaths, 67, including diphtheria, 1; enteric fever, 3; influenza, 1, and 10 from phthisis pulmonalis.

ILLINOIS—*Chicago*.—During the week ended May 6, 1899, 1 certificate of death was returned to the office of the commissioner of health giving influenza as the chief cause, 10 giving diphtheria as the cause—51 cases being reported, also 16 giving scarlet fever as the cause—117 cases being reported.

Springfield.—Three weeks ended April 24, 1899. Estimated population, 40,000. Total number of deaths, 41, including enteric fever, 2, and 6 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of April, 1899. Estimated population, 70,000. Total number of deaths, 101, including enteric fever, 4; la grippe, 1; whooping cough, 1, and 13 from phthisis pulmonalis.

IOWA—*Davenport*.—Month of April, 1899. Estimated population, 40,000. Total number of deaths, 38, including 1 from phthisis pulmonalis.

MASSACHUSETTS—*Brockton*.—Month of April, 1899. Estimated population, 37,278. Total number of deaths, 50, including la grippe, 2, and 7 from phthisis pulmonalis.

Worcester.—Month of April, 1899. Estimated population, 108,463. Total number of deaths, 135, including diphtheria, 3; enteric fever, 2; measles, 2; scarlet fever, 1, and 17 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended May 6, 1899, from 68 observers, indicate that pleuritis, measles, and cerebro-spinal meningitis increased and phthisis pulmonalis decreased in area of prevalence. Phthisis pulmonalis was reported present at 151, measles at 68, scarlet fever at 35, enteric fever at 20, diphtheria at 11, and whooping cough at 11 places.

MINNESOTA—*Winona*.—Month of April, 1899. Estimated population, 24,000. Total number of deaths, 35, including 2 from phthisis pulmonalis.

NEW YORK—*Auburn*.—Month of April, 1899. Estimated population, 30,000. Total number of deaths, 34, including 2 from phthisis pulmonalis.

NORTH CAROLINA.—Reports to the State board of health for the month of March, 1899, from 22 towns having an aggregate population of 150,638—white, 87,048; colored, 63,590, show a total of 171 deaths—white, 64; colored, 107, including enteric fever, 1, and 25 from phthisis pulmonalis.

Charlotte.—Month of April, 1899. Estimated population, 28,000. Total number of deaths, 20, including enteric fever, 1; whooping cough, 1, and 1 from phthisis pulmonalis.

OHIO—Toledo.—Month of April, 1899. Estimated population, 151,520. Total number of deaths, 173, including diphtheria, 7; enteric fever, 2; la grippe, 6; measles, 1; whooping cough, 1, and 20 from phthisis pulmonalis.

RHODE ISLAND—Newport.—Month of March, 1899. Estimated population, 21,500. Total number of deaths, 28, including diphtheria, 1, and 2 from phthisis pulmonalis.

Month of April, 1899. Total number of deaths, 21, including 1 from phthisis pulmonalis.

TENNESSEE—Chattanooga.—Month of April, 1899. Estimated population, 40,000—white, 27,000; colored, 13,000. Total number of deaths, 62—white, 32; colored, 30, including enteric fever, 1; la grippe, 1, and 1 from phthisis pulmonalis.

TEXAS—Laredo.—Month of January, 1899. Estimated population, 14,000. Total number of deaths, 104, including scarlet fever, 1; smallpox, 33, and 11 from phthisis pulmonalis.

Month of February, 1899. Total number of deaths, 111, including smallpox, 64, and 5 from phthisis pulmonalis.

Month of March, 1899. Total number of deaths, 107, including smallpox, 48, and 11 from phthisis pulmonalis.

Month of April, 1899. Total number of deaths, 42, including enteric fever, 1; smallpox, 2, and 6 from phthisis pulmonalis.

VIRGINIA—Petersburg.—Four weeks ended April 26, 1899. Estimated population, 25,500—white, 12,000; colored, 13,000. Total number of deaths, 40—white, 18; colored, 22, including 2 from phthisis pulmonalis.

WASHINGTON—Seattle.—Month of April, 1899. Estimated population, 75,000. Total number of deaths, 70, including diphtheria, 1; measles, 1, and 8 from phthisis pulmonalis.

WISCONSIN—Superior.—Month of April, 1899. Estimated population, 35,000. Total number of deaths, 34, including 1 from diphtheria.